



Clinical Test Results for MUTI™ WAVE


pMUT Tile chips x Vibrator x Functional Ultrasonic Gel vs. Functional Ultrasonic Gel only

4 weeks clinical trials with 6 volunteers
(Measuring at Week 0, Week 2, Week 4)


Summary of the Improvement Ratio (%) at 2 weeks and 4 weeks

Elasticity is linear while Lifting is increasing at two phase slopes


Jawline Elasticity, Cutometer



Jawline Lifting, F-ray R2




Neck Wrinkle, Antera 3D



Elasticity , Cutometer


Cheek

Clinical 1st




: $p < 0.025 (=5\%/2)$ by Friedman test, post hoc Wilcoxon signed rank test with Bonferroni correction
FF : $p < 0.05$ by Generalized Estimation Equation

Clinical 2nd




: $p < 0.025 (=5\%/2)$ by Friedman test, post hoc Wilcoxon signed rank test with Bonferroni correction
FF : $p < 0.05$ by Generalized Estimation Equation

Jaw Line



: $p < 0.025 (=5\%/2)$ by Friedman test, post hoc Wilcoxon signed rank test with Bonferroni correction
FF : $p < 0.05$ by Generalized Estimation Equation




: $p < 0.025 (=5\%/2)$ by Friedman test, post hoc Wilcoxon signed rank test with Bonferroni correction
FF : $p < 0.05$ by Generalized Estimation Equation

Lifting , F-ray R2


Cheek

Clinical 1st



: $p<0.025(=5\%/2)$ by Friedman test, post hoc Wilcoxon signed rank test with Bonferroni correction
FF : $p<0.05$ by Generalized Estimation Equation


Clinical 2nd




: $p<0.025(=5\%/2)$ by Friedman test, post hoc Wilcoxon signed rank test with Bonferroni correction
FF : $p<0.05$ by Generalized Estimation Equation




Jaw Line



: $p<0.025(=5\%/2)$ by Friedman test, post hoc Wilcoxon signed rank test with Bonferroni correction
FF : $p<0.05$ by Generalized Estimation Equation




: $p<0.025(=5\%/2)$ by Friedman test, post hoc Wilcoxon signed rank test with Bonferroni correction
FF : $p<0.05$ by Generalized Estimation Equation



Neck Wrinkle (Volume down) , Antera 3D


Neck wrinkle

Clinical 1st



: $p < 0.025 (=5\%/2)$ by Friedman test, post hoc Wilcoxon signed rank test with Bonferroni correction
FF : $p < 0.05$ by Generalized Estimation Equation

Clinical 2nd



: $p < 0.025 (=5\%/2)$ by Friedman test, post hoc Wilcoxon signed rank test with Bonferroni correction
FF : $p < 0.05$ by Generalized Estimation Equation


Appendix

Jawline lifting – F Ray : Jaw line degree Increasing


MUTi : MUTi™ WAVE Device + functional Gel

Control : Functional Gel only


LF-02




LF-04




LF-06




LF-03



LF-05



LF-07



Control : Functional Gel only

LF-06

Week 4

Control

Control

LF-07

Week 4



Control

Control

Control